



Material Safety Data Sheet

Hydrogenated Terphenyl(61788-32-7)

1. Composition/Information on Ingredient

Cas: 61788-32-7

Code:M

RTECS:WZ6535000 †

Code:M

Name:HYDROGENATED TERPHENYLS

Other REC Limits:N/P

OSHA PEL:0.5 PPM †

Code:M

OSHA STEL:Code:

ACGIH TLV:0.5 PPM; 9192 †

Code:M

ACGIHSTEL:N/P †

Code:

2. Control Measures

Respiratory Protection:AIR SUPPLIED RESPIRATOR IF VENTILATION IS IN ADEQUATE.

Ventilation:LOCAL EXHAUST TO MINIMIZE VAPORS CONCENTRATION

Protective Gloves:RESISTANT

Eye Protection:GOGGLES OR FACE SHIELD

Other Protective Equipment:Equipment N/P 5

Work Hygienic Practices:N/P

Supplemental Safety and Health:KEY1:F3

3. Health Hazards Data

LD50LC50Mixture:N/P

Route Of Entry Inds - Inhalation:N/P

Skin:N/P

Ingestion:N/P 3

Carcinogenicity Inds - NTP:N/P



Material Safety Data Sheet

Hydrogenated Terphenyl(61788-32-7)

IARC:N/P

OSHA:N/P

Health Hazards Acute And Chronic:N/P

Explanation Of Carcinogenicity:N/P

Signs And Symptoms Of Overexposure:SKIN IRRITANT.MAY CAUSE HEADACHE,NAUSEA,ETC

Medical Cond Aggravated By Exposure:N/P

First Aid:SKIN:WASH THOROUGHLY W SOAP & WATER;EYES:WASH OUT IMMEDIATELY W PLENTY OF WATER.GET MEDICAL ATTENTION;INHALATION:REMOVE AFFECTED INDIVIDUAL TO FRESH AIR;INGESTION:IMMEDIATELY GET MEDICAL HELP.

Spill Release Procedures:WIPE UP W RAGS/PAPER TOWELS.CLEAN SURFACE/AREA W MEK USING APPROPRIATE PROTECTIVE EQUIPMENTS;LARGE

SPILL:ELIMINATE IGN SOURCES,S LEAK,& DIKE SPILL AREA.TRANSFER SPILL WASTE INTO SALVAGE TANK FOR DI SPOSAL.

Neutralizing Agent:N/P

Waste Disposal Methods: DO NOT INCINERATE THE WASTE & CONTAINERS(EMPTY/FULL)OF THE PRODUCT.DISPOSE OF WASTE IN TIGHTLY CLOSED CONTAINERS . IAW LOCAL,STATE & FEDERAL REGULATIONS.

Handling And Storage Precautions:KEEP IN CLOSED CONTAINERS.STORE IN COOL DRY AREA.KEEP AWAY FROM HEAT,SPARKS & OPEN FLAME.

Other Precautions:4 AVOID REPEATED OR PROLONGED CONTACT WITH SKIN.

4. Fire and Explosion Hazard Information

Flash Point Method:N/P

Flash Point:

Flash Point Text:62F,PMCC

Autoignition Temp:

Autoignition Temp Text:N/A

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:FOAM CO*2,DRY CHEM

Fire Fighting Procedures:COOL FIRE HEAT EXPOSED CONTAINERS W WATER SPRAY.

Unusual Fire/Explosion Hazard:CAN EMIT TOXIC VAPORS.

5. Physical/Chemical Properties



Material Safety Data Sheet

Hydrogenated Terphenyl(61788-32-7)

HCC:F2

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text:UNK

Melt/Freeze Pt:

M.P/F.P Text:N/A

Decomp Temp:

Decomp Text:N/A

Vapor Pres:UNK

Vapor Density:UNK

Volatile Org Content %:

Spec Gravity:1.44

VOC Pounds/Gallon:

PH: N/P

VOC Grams/Liter:

Viscosity:N/P

Evaporation Rate & Reference:UNK

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK GRAY VISCOUS LIQUID,SLIGHT TOLUENE ODOR

Percent Volatiles by Volume:10.0

Corrosion Rate:N/P

6. Reactivity Data

Stability Indicator:YES

Stability Condition To Avoid:SOURCE OF IGNITION.

Materials To Avoid:CORROSIVE OXIDIZING MATERIALS. 6

Hazardous Decomposition Products:OXIDES OF SULFUR;HYDROGEN SULFIDE

Hazardous Polymerization Indicator:NO

Conditions To Avoid Polymerization:UNK.

7. Toxicological Information



Material Safety Data Sheet

Hydrogenated Terphenyl(61788-32-7)

Information:N/P

8. Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

9. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY /UNDERTAKING

Product name: **Hydrogenated Terphenyl(61788-32-7)**

Product Number : 92-52-4

Company : Hangzhou Hennychem Material Co.,ltd

Telephone : 0086-571-82693023

Fax: 0086-571-82870273

Emergency Phone #: 0086-571-82870273

E-mail address: hennychem@hotmail.com

10. OTHER INFORMATION

Other Information:N/P